

REFERENCES

- [1] T. R. Nelson and D. H. Pretorius, "Three-dimensional ultrasound imaging," *Ultrasound Med. Biol.*, vol. 24, pp. 1243–1270, Sept. 1998.
- [2] S. Berg, H. Torp, D. Martens, E. Steen, S. Samstad, I. Høivik, and B. Olstad, "Dynamic three-dimensional freehand echocardiography using raw digital ultrasound data," *Ultrasound Med. Biol.*, vol. 25, pp. 745–753, May 1999.
- [3] R. Canals, G. Lamarque, and P. Chatain, "Volumetric ultrasound system for left ventricle motion imaging," *IEEE Trans. Ultrason. Ferroelect. Freq. Cont.*, vol. 46, pp. 1527–1538, Nov. 1999.
- [4] D. H. Turnball and F. S. Foster, "Beam steering with pulsed two-dimensional transducer arrays," *IEEE Trans. Ultrason. Ferroelect. Freq. Cont.*, vol. 38, pp. 320–333, July 1991.
- [5] S. W. Smith and E. D. Light, "Two-dimensional array transducers using thick film connection technology," *IEEE Trans. Ultrason. Ferroelect. Freq. Cont.*, vol. 40, pp. 727–734, Nov. 1993.
- [6] R. L. Goldberg and S. W. Smith, "Multilayer piezoelectric ceramics for two-dimensional array transducers," *IEEE Trans. Ultrason. Ferroelect. Freq. Cont.*, vol. 41, pp. 761–771, Sept. 1994.
- [7] R. E. Davidsen and S. W. Smith, "Two-dimensional arrays for medical ultrasound using multilayer flexible circuit interconnection," *IEEE Trans. Ultrason. Ferroelect. Freq. Cont.*, vol. 45, pp. 338–348, Mar. 1998.
- [8] G. R. Lockwood, J. R. Talman, and S. S. Brunke, "Real-time 3-D ultrasound imaging using sparse synthetic aperture beamforming," *IEEE Trans. Ultrason. Ferroelect. Freq. Cont.*, vol. 45, pp. 980–988, July 1998.
- [9] J. Shen and E. S. Ebbini, "A new coded-excitation ultrasound imaging system – Part I: Basic principles," *IEEE Trans. Ultrason. Ferroelect. Freq. Cont.*, vol. 43, pp. 131–140, Jan. 1996.
- [10] J.-Y. Lu, "2D and 3D high frame rate imaging with limited diffraction beams," *IEEE Trans. Ultrason. Ferroelect. Freq. Contr.*, vol. 44, pp. 839–856, July 1997.
- [11] J.-Y. Lu, "Experimental study of high frame rate imaging with limited diffraction beams," *IEEE Trans. Ultrason. Ferroelect. Freq. Cont.*, vol. 45, pp. 84–97, Jan. 1998.
- [12] S. W. Smith, H. G. Pavy, Jr., and O. T. von Ramm, "High-speed ultrasound volumetric imaging system – Part I: Transducer design and beam steering," *IEEE Trans. Ultrason. Ferroelect. Freq. Cont.*, vol. 38, pp. 100–108, Mar. 1991.

- [13] I. S. F. Jones, "High resolution underwater acoustic imaging," in *Proceedings of Oceans 1999 MTS/IEEE*, 1999, pp. 1093–1097.
- [14] V. Murino, C. S. Regazzoni, A. Trucco, and G. Vernazza, "A noncoherent correlation technique and focused beamforming for ultrasonic underwater imaging: A comparative analysis," *IEEE Trans. Ultrason. Ferroelect. Freq. Cont.*, vol. 41, pp. 621–630, Sept. 1994.
- [15] C. Ishihara, T. Aoki, O. Takano, N. Ishii, S. Hisamoto, H. Yuasa, and Y. Tamura, "Holographic 3-D imaging system using encoded wavefront: An underwater imaging system," *Acoust. Imaging*, vol. 21, pp. 765–772, 1995.
- [16] E. O. Belcher, H. Q. Dinh, D. C. Lynn, and T. J. Laughlin, "Beamforming and imaging with acoustic lenses in small, high-frequency sonars," *Proceedings of Oceans 1999 MTS/IEEE*, vol. 3, pp. 1495–1499, 1999.
- [17] B. Kamgar-Parsi, B. Johnson, D. L. Folds, and E. O. Belcher, "High-resolution underwater acoustic imaging with lens-based systems," *Int. J. Imaging Syst. Technol.*, vol. 8, pp. 377–385, July 1997.
- [18] K. Erikson, A. Hairston, A. Nicoli, J. Stockwell, and T. White, "128 × 128 (16K) ultrasonic transducer hybrid array," *Acoustical Imaging*, vol. 23, pp. 485–494, 1998.
- [19] F. L. Lizzi and K. W. Weil, "Frequency-controlled scanning of ultrasound beams," United States Patent 4,350,917, Sept. 21, 1982.
- [20] W. J. Hughes and W. Thompson, Jr., "Tilted directional response patterns formed by amplitude weighting and a single 90° phase shift," *J. Acoust. Soc. Am.*, vol. 59, pp. 1040–1045, May 1976.
- [21] E. J. Skudrzyk, *The Foundations of Acoustics*. New York: Springer-Verlag, 1971.
- [22] D. A. Christensen, *Ultrasonic Bioinstrumentation*. New York: John Wiley and Sons, 1988.
- [23] A. D. Pierce, *Acoustics: An Introduction to Its Physical Principles and Applications*. Woodbury, NY: Acoustical Society of America, 1989.
- [24] D. C. Munson, Jr., and R. L. Visentin, "A signal processing view of strip-mapping synthetic aperture radar," *IEEE Trans. Acoust. Speech Sig. Proc.*, vol. 37, pp. 2131–2147, Dec. 1989.
- [25] J. A. Jensen, "Field: A program for simulating ultrasound systems," *Med. Biol. Engr. Comp.*, vol. 34, no. 1, Suppl. 1, pp. 351–353, 1996.

- [26] J. A. Jensen, "FIELD II," program available at <http://www.it.dtu.dk/~jaj/field/field.html>.
- [27] L. R. Dragonette, D. M. Drumheller, C. F. Gaumond, D. H. Hughes, B. T. O'Connor, N.-C. Yen, and T. J. Yoder, "The application of two-dimensional signal transformations to the analysis and synthesis of structural excitations observed in acoustical scattering," *Proc. of the IEEE*, vol. 84, pp. 1249–1263, Sept. 1996.
- [28] P. Chevret, N. Gache, and V. Zimpfer, "Time-frequency filters for target classification," *J. Acoust. Soc. Am.*, vol. 106, pp. 1829–1837, Oct. 1999.
- [29] J. C. Brown, "Calculation of a constant-Q spectral transform," *J. Acoust. Soc. Am.*, vol. 89, pp. 425–434, Jan. 1991.
- [30] T. A. C. M. Claasen and W. F. G. Mecklenbrauker, "The Wigner distribution – A tool for time-frequency signal analysis, Part II: Discrete-time signals," *Philips J. Res.*, vol. 35, no. 4/5, pp. 276–300, 1980.
- [31] L. Cohen, "Time-frequency distributions – A review," *Proc. IEEE*, vol. 77, pp. 941–981, July 1989.
- [32] H.-I. Choi and W. J. Williams, "Improved time-frequency representation of multicomponent signals using exponential kernels," *IEEE Trans. Acoust. Speech Sig. Proc.*, vol. 37, pp. 862–871, June 1989.
- [33] F. Hlawatsch and G. F. Boudreaux-Bartels, "Linear and quadratic time-frequency signal representations," *IEEE Sig. Proc. Mag.*, vol. 9, pp. 21–67, Apr. 1992.
- [34] D. L. Jones and T. W. Parks, "A resolution comparison of several time-frequency representations," *IEEE Trans. Sig. Proc.*, vol. 40, pp. 413–420, Feb. 1992.
- [35] W. J. Pielemeier, G. H. Wakefield, and M. H. Simoni, "Time-frequency analysis of musical signals," *Proc. IEEE*, vol. 84, pp. 1216–1230, Sept. 1996.
- [36] B. D. Steinberg, "Comparison between the peak sidelobe of the random array and algorithmically designed aperiodic arrays," *IEEE Trans. Ant. Prop.*, vol. AP–21, pp. 366–370, May 1973.
- [37] B. D. Steinberg, "The peak sidelobe of the phased array having randomly located elements," *IEEE Trans. Ant. Prop.*, vol. AP–20, pp. 129–136, Mar. 1972.
- [38] D. H. Johnson and D. E. Dudgeon, *Array Signal Processing: Concepts and Techniques*. Englewood Cliffs, NJ: Prentice Hall, 1993.

- [39] S. I. Aanonsen, T. Barkve, J. N. Tjøtta, and S. Tjøtta, “Distortion and harmonic generation in the nearfield of a finite amplitude sound beam,” *J. Acoust. Soc. Am.*, vol. 75, pp. 749–768, Mar. 1984.
- [40] P. T. Christopher and K. J. Parker, “New approaches to nonlinear diffractive field propagation,” *J. Acoust. Soc. Am.*, vol. 90, pp. 488–499, July 1991.
- [41] Y.-S. Lee and M. F. Hamilton, “Time-domain modeling of pulsed finite-amplitude sound beams,” *J. Acoust. Soc. Am.*, vol. 97, pp. 906–917, Feb. 1995.
- [42] M. A. Averkiou and M. F. Hamilton, “Nonlinear distortion of short pulses radiated by plane and focused circular pistons,” *J. Acoust. Soc. Am.*, vol. 102, pp. 2539–2548, Nov. 1997.
- [43] J. Tavakkoli, D. Cathignol, R. Souchon, and O. A. Sapozhnikov, “Modeling of pulsed finite-amplitude focused sound beams in time domain,” *J. Acoust. Soc. Am.*, vol. 104, pp. 2061–2072, Oct. 1998.
- [44] A. C. Baker, A. M. Berg, A. Sahin, and J. N. Tjøtta, “The nonlinear pressure field of plane, rectangular apertures: Experimental and theoretical results,” *J. Acoust. Soc. Am.*, vol. 97, pp. 3510–3517, June 1995.
- [45] P. T. Christopher and K. J. Parker, “New approaches to the linear propagation of acoustic fields,” *J. Acoust. Soc. Am.*, vol. 90, pp. 507–521, July 1991.
- [46] D. H. Trivett and A. L. van Buren, “Propagation of plane, cylindrical, and spherical finite amplitude waves,” *J. Acoust. Soc. Am.*, vol. 69, pp. 943–949, Apr. 1981.
- [47] M. E. Haran and B. D. Cook, “Distortion of finite amplitude ultrasound in lossy media,” *J. Acoust. Soc. Am.*, vol. 73, pp. 774–779, Mar. 1983.
- [48] D. H. Trivett and A. L. van Buren, “Comments on ‘Distortion of finite amplitude ultrasound in lossy media,’ by M. E. Haran and B. D. Cook [*J. Acoust. Soc. Am.* 73, 774–779 (1983)],” *J. Acoust. Soc. Am.*, vol. 76, pp. 1257–1258, Oct. 1984.